

XXIV

spring_
summer

casual

PREVIEW

BRB
M I L A N O



ss xxiv | casual | 01



N4103
mm 10,5



31938
luce 35



N4102
mm 17



ss xxiv | casual | 01



N4105
mm 20



N4104
mm 20



N4071
mm 17



31901
mm 11,7 - OC550



ss xxiv | casual | 01



Luce
20
25



31913
luce 20



Lin.
20
24
28
32
36
40



31881
lin 24

Lin.
20
24
28
32
36
40




31882
lin 32

Bottoni a Pressione | Snap Buttons

PK000/OSN2-MNYL

APPLICATIONS WITH SUBPARTS
APPLICAZIONI CON SOTTOPARTI



C245X

TESTA | HEAD RETRO | BACK

31860 31861
mm 17 D=10,5

ss xxiv | casual | 01



ss xxiv | casual | 02



31884
mm 18,5



31885
mm 14



31886
mm 9,5



ss xxiv | casual | 02



31887
mm 17



31888
mm 14




30096
mm 5,0



ss xxiv | casual | 02



N4106
mm 20




N4107
mm 9,5



ss xxiv | casual | 02



31889
mm 8,0



31890
mm 8,5

Bottoni a Pressione | Snap Buttons




N4108/PA100-OSN2
mm 17



N4109
mm 28x6



ss xxiv | casual | 02



ss xxiv | casual | 02



27606
lin 24

Lin.
24
28
32
36
44



27566
lin 28

Lin.
24
28
32
36
44



N4110
mm 17



31897
mm 14



31899
mm 9,5



ss xxiv | casual | 03



49128
mm 18,5



49129
mm 8,5



SS XXIV | casual | 03




N4113
mm 14x12




SS XXIV | casual | 03

Bottoni a Pressione | Snap Buttons



31900/PA100-NFI2
mm 15,5



Lin. 24 - 28 - 36 - 44



31895

lin 24

Lin. 24 - 28 - 36 - 44




31896

lin 36


Bottoni a Pressione | Snap Buttons



SS XXIV | casual | 03



31893/PK000-OSN2
mm 14 - MNYL



31892/PK000-OSN2
mm 17 - MNYL



SS XXIV | casual | 03



Luce
10-15
20-25
30-35
40-50
60



31894
luce 30

NLUX - PIATTO BA



N4114
mm 23

ss xxiv | casual | 04

NF - PIATTO BA



31902
mm 20



31903
mm 17



ss xxiv | casual | 04



ss xxiv | casual | 04



28509
mm 12 - OC551



30698
mm 10 - OC551




ss xxiv | casual | 04



31227
mm 5,5



23552
mm 7,0



ss xxiv | casual | 04



Luce
22 - 27 - 30 - 32
35 - 40 - 50

30511
luce 50

EYELETS DOUBLE FACE

Luce 15 - 20 - 25
30 - 35 - 40 - 50

31954
luce 15

31982 + 31983
mm 35 - OC580

ss xxiv | casual | 04